

Film Capacitors


EF6-CBB20 Axial Metallized Polypropylene Film Capacitors

ELECSOUND®

CBB20 are non-inductively wound with metallized polypropylene film as dielectric/electrode with copper-clad steel leads, wrapped with polyester adhesive tape and ends filled with epoxy resin.

Features:

Small size, Light weight
Good capacitance stability
Excellent self-healing property
Very low loss at high frequency
Widely used in high frequency, DC ,AC and pulse circuits

**Technical Specifications:**

Reference Standard: GB10190 (IEC60384-16)

Climatic Category: 40/85/21

Rated Voltage: 250V, 400V, 630V

Capacitance Range: 0.01 ~ 4.7μF

Capacitance Tolerance: ±5% (J) ; ±10% (K)


Voltage Proof: 1.6UR (2S)

Dissipation Factor: ≤0.001 (20°C, 1 KHz)

Insulation Resistance:

≥7500S , Cr > 0.33μF (20°C, 1 min)

≥25000MΩ, Cr ≤ 0.33μF (20°C, 1 min)



外形图 Outline Drawing

Dimensions: (mm)

μF	250VDC					μF	400VDC					μF	630VDC				
	L	H	T	D	d		L	H	T	D	d		L	H	T	D	d
0.01	15	9	3.5	6.5	0.6	0.01	15	10	4	7	0.6	0.01	15	9	4	7	0.6
0.012	15	9	3.5	6.5	0.6	0.012	15	10	4	7	0.6	0.012	15	10	4	7	0.6
0.015	15	9.5	4	7	0.6	0.015	15	10.5	4.5	7.5	0.6	0.015	15	10.5	4.5	7.5	0.6
0.018	15	10	4.5	7.5	0.6	0.018	15	11	4.5	7.5	0.6	0.018	15	11	4.5	7.5	0.6
0.022	15	8.5	3.5	6.5	0.6	0.022	15	10	4	7	0.6	0.022	15	11.5	4.5	7.5	0.6
0.027	15	9	3.5	6.5	0.6	0.027	15	10	4	7	0.6	0.027	15	18	5	8	0.8
0.033	15	9	4	7	0.6	0.033	15	10.5	4.5	7.5	0.6	0.033	15	13.5	5	9	0.8
0.039	15	9.5	4	7	0.6	0.039	15	11	4.5	7.5	0.6	0.039	15	14	5.5	9.5	0.8
0.047	15	10	4.5	7.5	0.6	0.047	15	11	5	8	0.6	0.047	15	14.5	6	10	0.8
0.056	15	10	4.5	7.5	0.6	0.056	15	11.5	5	8	0.6	0.056	20	13.5	5	9	0.8
0.068	15	10.5	5	8	0.6	0.068	15	12	5.5	8.5	0.6	0.068	20	14	5.5	9.5	0.8
0.082	15	12	5	9	0.6	0.082	15	14	5.5	9.5	0.6	0.082	20	14.5	5.5	9.5	0.8
0.1	15	13	5.5	9.5	0.6	0.1	15	14.5	6	10	0.6	0.1	20	15	6.5	10.5	0.8
0.12	20	11.5	4.5	8.5	0.6	0.12	20	13	5	9	0.6	0.12	20	15.5	7	11	0.8
0.15	20	12	5	9	0.8	0.15	20	13.5	5.5	9.5	0.6	0.15	20	16.5	7.5	11.5	0.8
0.18	20	12.5	5.5	9.5	0.8	0.18	20	14	6	10	0.8	0.18	25	16	7	11	0.8
0.22	20	13	6	10	0.8	0.22	20	15	6.5	10.5	0.8	0.22	25	16.5	7.5	11.5	0.8
0.27	20	14	6.5	10.5	0.8	0.27	20	15.5	7	11	0.8	0.27	25	17.5	8.5	12.5	0.8
0.33	20	14.5	7.5	11.5	0.8	0.33	20	16.5	8	12	0.8	0.33	25	19.5	9	14	0.8
0.39	25	13.5	6.5	10.5	0.8	0.39	25	15.5	7	11	0.8	0.39	30	18.5	8	13	0.8
0.47	25	14.5	7.5	11.5	0.8	0.47	25	16.5	8	12	0.8	0.47	30	19.5	9	14	0.8
0.56	25	15	8	12	0.8	0.56	25	17	8.5	12.5	0.8	0.56	30	20.5	10	15	0.8
0.68	25	16	9	13	0.8	0.68	25	18	9.5	13.5	0.8	0.68	30	22	11	16	0.8
0.82	25	17	10	14	0.8	0.82	25	19	10.5	14.5	0.8	0.82	30	23	12	16	0.8
1	25	18	11	15	0.8	1	25	20	11.5	15.5	0.8	1	30	24.5	13.5	18.5	0.8
1.2	25	19	12	16	0.8	1.2	25	21.5	12.5	16.5	0.8	1.2	30	26	15	20	0.8
1.5	30	19.5	10.5	15.5	0.8	1.5	30	21.5	11	16	0.8	1.5	30	28	17	22	0.8
1.8	30	20.5	11	16	0.8	1.8	30	23	11.5	16.5	0.8	1.8	30	30	19	24	0.8
2.2	30	22	13.5	18.5	0.8	2.2	30	24.5	14	19	0.8	2.2	30	32	21	26	0.8
2.7	30	23.5	14	19	0.8	2.7	30	26	14.5	19.5	0.8						
3.3	30	25.5	16.5	21.5	0.8	3.3	30	28	17	22	0.8						
4.7	30	29	20.5	25.5	0.8	4.7	30	31.5	21	26	0.8						

Note: Capacitors of special specifications are made according to customer's need.

Elecsound Technology Company Limited

TEL: 0086-755-82908842 FAX: 0086-755-83045964

Website: www.elecsound.comEmail: sales@elecsound.com